


CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.



Single CPU Systems *Last Updated: 18th of October 2020*

Columns

Show entries

| CPU Name <input type="text" value="Search..."/> | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|--|------------------|--------------------|--------------------|-------------|----------|
| | 2500 - Max... | Min... - Max... | Min... - Max... | | |
| Intel Core i3-4330TE @ 2.40GHz | 2,500 | 1,399 | 35 | LGA1150 | Desktop |
| Intel Xeon E5606 @ 2.13GHz | 2,500 | 945 | 80 | LGA1366 | Server |
| Intel Core i5-5200U @ 2.20GHz | 2,501 | 1,513 | 15 | FCBGA1168 | Laptop |
| Intel Core i5-4300U @ 1.90GHz | 2,505 | 1,519 | 15 | FCBGA1168 | Laptop |
| AMD Phenom II X4 965 | 2,509 | 1,353 | 125 | AM3 | Desktop |
| AMD PRO A12-8800B | 2,509 | 1,331 | 15 | FP4 | Laptop |
| Intel Core i7-3667U @ 2.00GHz | 2,515 | 1,604 | 17 | BGA1023 | Laptop |
| Intel Core i5-3230M @ 2.60GHz | 2,517 | 1,561 | 35 | PGA988 | Laptop |
| Intel Pentium G4500T @ 3.00GHz | 2,518 | 1,845 | 35 | FCLGA1151 | Desktop |
| AMD Phenom II X4 B99 | 2,520 | 1,378 | 95 | Unknown | Unknown |
| Intel Core i3-7102E @ 2.10GHz | 2,521 | 1,292 | 25 | FCBGA1440 | Laptop |
| Intel Core i5-4310U @ 2.00GHz | 2,522 | 1,552 | 15 | FCBGA1168 | Laptop |
| Intel Xeon L5530 @ 2.40GHz | 2,522 | 1,169 | 60 | LGA1366 | Server |
| Intel Core i7-4500U @ 1.80GHz | 2,524 | 1,558 | 15 | BGA1168 | Laptop |
| Intel Pentium Silver N5030 @ 1.10GHz | 2,537 | 1,336 | 6 | FCBGA1090 | Laptop |
| AMD A10-6800B APU | 2,543 | 1,398 | 100 | FM2 | Desktop |
| Intel Celeron G4930 @ 3.20GHz | 2,557 | 1,988 | 54 | FCLGA1151-2 | Desktop |
| Intel Xeon X5460 @ 3.16GHz | 2,560 | 1,383 | 120 | LGA771 | Server |
| Intel Core i5-760 @ 2.80GHz | 2,562 | 1,305 | 95 | LGA1156 | Desktop |
| Intel Core i3-7020U @ 2.30GHz | 2,566 | 1,346 | 15 | FCBGA1356 | Laptop |
| AMD FX-4100 Quad-Core | 2,568 | 1,290 | 95 | AM3+ | Desktop |
| Intel Core i5-680 @ 3.60GHz | 2,568 | 1,646 | 73 | LGA1156 | Desktop |
| AMD Phenom II X4 B65 | 2,576 | 1,357 | NA | AM2+/AM3 | Desktop |
| Intel Core i3-4110M @ 2.60GHz | 2,580 | 1,288 | 37 | FCPGA946 | Laptop |
| Intel Core i7-3687U @ 2.10GHz | 2,592 | 1,570 | 17 | BGA1023 | Laptop |

| CPU Name | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|---|----------|-------------|---------|--------|----------|
| Intel Xeon Silver N5000 @ 1.10GHz | 2500 | Min... | Min... | | |

Home CPU Benchmarks

| | | | | | |
|---|-------|-------|-----|-----------|---------|
| Intel Pentium G4400 @ 3.30GHz | 2,605 | 2,030 | 54 | FCLGA1151 | Desktop |
| Intel Core i7-4510U @ 2.00GHz | 2,609 | 1,557 | 15 | FCBGA1168 | Laptop |
| Intel Core i3-5157U @ 2.50GHz | 2,613 | 1,471 | 28 | FCBGA1168 | Laptop |
| AMD Phenom II X4 970 | 2,622 | 1,401 | 125 | AM3 | Unknown |
| Intel Core2 Extreme X9770 @ 3.20GHz | 2,622 | 1,400 | 136 | LGA775 | Desktop |
| Intel Core i5-3610ME @ 2.70GHz | 2,623 | 1,675 | 35 | BGA1023 | Laptop |
| Intel Xeon X5470 @ 3.33GHz | 2,625 | 1,425 | 120 | LGA771 | Server |
| AMD PRO A10-9700B | 2,626 | 1,315 | 15 | FP4 | Laptop |
| Intel Core i3-6100U @ 2.30GHz | 2,627 | 1,361 | 15 | FCBGA1356 | Laptop |
| Intel Core m3-7Y30 @ 1.00GHz | 2,632 | 1,459 | 4.5 | FCBGA1515 | Laptop |
| AMD FX-4130 Quad-Core | 2,633 | 1,333 | 125 | AM3+ | Desktop |
| Intel Xeon E5520 @ 2.27GHz | 2,633 | 1,033 | 80 | LGA1366 | Server |
| AMD A10-9620P | 2,634 | 1,339 | 15 | Unknown | Laptop |
| AMD FirePro A320 APU | 2,634 | 1,482 | 100 | FM2 | Desktop |
| Intel Xeon X5482 @ 3.20GHz | 2,636 | 1,394 | 150 | LGA771 | Server |
| Intel Xeon E5-2609 @ 2.40GHz | 2,640 | 1,059 | 80 | LGA2011 | Server |
| Intel Core i3-3245 @ 3.40GHz | 2,643 | 1,878 | 55 | LGA1155 | Desktop |
| Intel Xeon E5540 @ 2.53GHz | 2,644 | 1,149 | 80 | LGA1366 | Server |
| Intel Core i5-3320M @ 2.60GHz | 2,645 | 1,623 | 35 | BGA1023 | Laptop |
| AMD A8-5500B APU | 2,650 | 1,356 | 65 | FM2 | Desktop |
| AMD PRO A12-9800B | 2,650 | 1,338 | 15 | FP4 | Laptop |
| Intel Core i3-3250T @ 3.00GHz | 2,650 | 1,684 | 35 | FCLGA1155 | Desktop |
| Intel Xeon X3440 @ 2.53GHz | 2,659 | 1,158 | 95 | LGA1156 | Server |
| Intel Xeon E5-2407 @ 2.20GHz | 2,661 | 883 | 80 | LGA 1356 | Server |
| Intel Core i5-5350U @ 1.80GHz | 2,667 | 1,556 | 15 | FCBGA1168 | Laptop |
| AMD 3020e | 2,671 | 1,500 | 6 | Unknown | Laptop |
| AMD A10-5700 APU | 2,675 | 1,424 | 65 | FM2 | Desktop |
| AMD A12-9720P | 2,675 | 1,365 | 15 | FP4 | Laptop |
| AMD 3015e | 2,678 | 1,408 | 6 | Unknown | Laptop |
| Intel Core i5-4402E @ 1.60GHz | 2,681 | 1,510 | 25 | FCBGA1364 | Laptop |
| AMD Athlon X4 740 Quad Core | 2,682 | 1,358 | 65 | FM2 | Desktop |
| Intel Xeon E5607 @ 2.27GHz | 2,686 | 1,002 | 80 | LGA1366 | Server |
| Intel Xeon E3-1220L V2 @ 2.30GHz | 2,687 | 1,421 | 17 | LGA1155 | Server |
| Intel Core i5-3340M @ 2.70GHz | 2,692 | 1,666 | 35 | BGA1023 | Laptop |
| Intel Core i7-4600U @ 2.10GHz | 2,693 | 1,685 | 15 | FCBGA1168 | Laptop |
| AMD A8-5600K APU | 2,695 | 1,411 | 100 | FM2 | Desktop |
| Intel Xeon X3460 @ 2.80GHz | 2,705 | 1,206 | 95 | LGA1156 | Server |
| Intel Xeon X5492 @ 3.40GHz | 2,705 | 1,446 | 150 | LGA771 | Server |
| AMD A8 PRO-7600B APU | 2,707 | 1,308 | 65 | FM2+ | Desktop |
| Intel Core i5-4258U @ 2.40GHz | 2,713 | 1,613 | 28 | FCBGA1168 | Laptop |
| AMD A6-9400 | 2,717 | 1,664 | 10 | FT4 | Laptop |
| Intel Core i7-920 @ 2.67GHz | 2,724 | 1,223 | 130 | LGA1366 | Desktop |
| Intel Core i7-860S @ 2.53GHz | 2,725 | 1,413 | 82 | LGA1156 | Desktop |
| Intel Core i3-7100U @ 2.40GHz | 2,726 | 1,403 | 15 | FCBGA1356 | Laptop |
| AMD Athlon X4 750K Quad Core | 2,733 | 1,436 | 100 | FM2 | Unknown |
| Intel Core i7-5500U @ 2.40GHz | 2,737 | 1,658 | 15 | FCBGA1168 | Laptop |
| Intel Core i5-2500T @ 2.30GHz | 2,741 | 1,379 | 45 | LGA1155 | Desktop |

[Intel Core i5-2500T @ 2.50GHz](#)

CPU Name [m3-7Y32 @ 1.10GHz](#)

Search

CPU Mark

2500

Thread Mark

Min...

TDP (W)

Min...

Socket

Category

Home CPU Benchmarks

| | | | | | |
|---|-------|-------|-----|------------------|-----------------|
| Intel Core i5-5300U @ 2.30GHz | 2,750 | 1,660 | 15 | FCBGA1168 | Laptop |
| Intel Xeon E5-2603 v2 @ 1.80GHz | 2,751 | 977 | 80 | LGA 2011 | Server |
| Intel Core 860 @ 2.80GHz | 2,754 | 1,142 | NA | Unknown | Unknown |
| Intel Xeon W3520 @ 2.67GHz | 2,755 | 1,245 | 130 | LGA1366 | Server |
| Intel Core i3-6157U @ 2.40GHz | 2,758 | 1,385 | 28 | BGA1356 | Laptop |
| Intel Celeron G5900 @ 3.40GHz | 2,759 | 2,146 | 58 | FCLGA1200 | Desktop |
| | | | | | |
| AMD FX-670K Quad-Core | 2,762 | 1,563 | 65 | FM2 | Desktop |
| Intel Core i3-4150T @ 3.00GHz | 2,763 | 1,505 | 35 | FCLGA1150 | Desktop |
| Intel Core i7-7Y75 @ 1.30GHz | 2,773 | 1,684 | 4.5 | FCBGA1515 | Desktop, Laptop |
| AMD A8-8650 | 2,774 | 1,408 | 65 | FM2+ | Desktop |
| Intel Core2 Extreme X9775 @ 3.20GHz | 2,780 | 1,451 | 150 | LGA771 | Desktop |
| Intel Core i7-870S @ 2.67GHz | 2,786 | 1,270 | 82 | LGA1156 | Desktop |
| Intel Xeon X3450 @ 2.67GHz | 2,787 | 1,226 | 95 | LGA1156 | Server |
| Intel Core i5-24050S @ 2.50GHz | 2,799 | 1,200 | 65 | LGA1155, FCLGA11 | Desktop |
| Intel Core i5-4200M @ 2.50GHz | 2,807 | 1,647 | 37 | PGA946 | Laptop |
| Intel Celeron J4115 @ 1.80GHz | 2,823 | 1,061 | NA | Unknown | Desktop |
| AMD Opteron 3350 HE | 2,825 | 1,362 | 45 | Unknown | Server |
| AMD Opteron 6128 | 2,826 | 447 | 115 | G34 | Server |
| Intel Core i3-4130T @ 2.90GHz | 2,848 | 1,643 | 35 | LGA1150 | Desktop |
| Intel Core i5-4308U @ 2.80GHz | 2,854 | 1,595 | 28 | FCBGA1364 | Laptop |
| AMD FX-7600P APU | 2,856 | 1,436 | 35 | FP3 | Laptop |
| Intel Core i7-3520M @ 2.90GHz | 2,860 | 1,715 | 35 | BGA1023 | Laptop |
| Intel Celeron G5905 @ 3.50GHz | 2,862 | 2,219 | 58 | FCLGA1200 | Desktop |
| AMD A10-5800B APU | 2,870 | 1,517 | 100 | FM2 | Desktop |
| Intel Pentium G4500 @ 3.50GHz | 2,870 | 2,181 | 51 | FCLGA1151 | Desktop |
| AMD Opteron 4184 | 2,872 | 630 | 95 | C32 | Server |
| Intel Core i3-4350T @ 3.10GHz | 2,888 | 1,656 | 35 | LGA1150 | Laptop |
| Intel Core i5-4210M @ 2.60GHz | 2,888 | 1,709 | 37 | FCPGA946 | Laptop |
| Intel Xeon W3540 @ 2.93GHz | 2,890 | 1,289 | 130 | LGA1366 | Server |
| Intel Core i5-7Y54 @ 1.20GHz | 2,891 | 1,776 | 4.5 | FCBGA1515 | Laptop |
| Intel Core i5-4210H @ 2.90GHz | 2,892 | 1,707 | 47 | FCBGA1364 | Laptop |
| AMD A8-6500B APU | 2,895 | 1,532 | 65 | FM2 | Desktop |
| Intel Core i7-860 @ 2.80GHz | 2,895 | 1,331 | 95 | LGA1156 | Desktop |
| AMD Athlon X4 830 | 2,901 | 1,292 | 65 | FM2+ | Desktop |
| AMD A10-5800K APU | 2,902 | 1,476 | 100 | FM2 | Desktop |
| Intel Core i5-8210Y @ 1.60GHz | 2,905 | 1,689 | 7 | FCBGA1515 | Laptop |
| Intel Core i7-5550U @ 2.00GHz | 2,908 | 1,781 | 15 | FCBGA1168 | Laptop |
| AMD Phenom II X6 1035T | 2,917 | 1,229 | 95 | AM3 | Desktop |
| AMD Phenom II X6 1045T | 2,917 | 1,238 | 95 | AM3 | Desktop |
| Intel Core i7-930 @ 2.80GHz | 2,921 | 1,298 | 130 | LGA1366 | Desktop |
| Intel Core i5-5257U @ 2.70GHz | 2,922 | 1,803 | 23 | FCBGA1168 | Laptop |
| AMD FX-4300 Quad-Core | 2,931 | 1,480 | 95 | AM3+ | Desktop |
| Intel Core i7-3540M @ 3.00GHz | 2,931 | 1,832 | 35 | rPGA988B | Laptop |
| AMD Opteron 2431 | 2,936 | 570 | 75 | F (1207) | Server |
| AMD A8-7650K | 2,939 | 1,369 | 65 | FM2+ | Desktop |
| AMD FX-8800P | 2,939 | 1,378 | 35 | FP4 | Laptop |
| Intel Pentium G4520 @ 3.60GHz | 2,942 | 2,253 | 51 | FCLGA1151 | Desktop |

| CPU Name | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|---|----------|-------------|---------|--------|----------|
| AMD A10-9630P | 2500 | Min... | Min... | | |
| Intel Core i5-4278U @ 2.60GHz | | | | | |

CPU Benchmarks ▼

| | | | | | |
|---|-------|-------|-----|------------------|---------|
| AMD Phenom II X6 10751 | 2,955 | 1,338 | 125 | AM3 | Desktop |
| Intel Core i5-3470T @ 2.90GHz | 2,956 | 1,767 | 35 | LGA1155 | Desktop |
| Intel Core i5-3360M @ 2.80GHz | 2,957 | 1,809 | 35 | BGA1023 | Laptop |
| AMD Athlon X4 760K Quad Core | 2,958 | 1,545 | 100 | FM2 | Desktop |
| AMD PRO A10-8750B | 2,962 | 1,102 | 65 | FM2+ | Desktop |
| Intel Xeon W3530 @ 2.80GHz | 2,971 | 1,324 | 130 | LGA1366 | Server |
| | | | | | |
| Intel Xeon X5560 @ 2.80GHz | 2,973 | 1,357 | 95 | LGA1366 | Server |
| Intel Celeron J4105 @ 1.50GHz | 2,975 | 1,106 | 10 | FCBGA1090 | Desktop |
| Intel Xeon E5-2637 @ 3.00GHz | 2,978 | 1,526 | 80 | FCLGA2011 | Server |
| Intel Core i5-2405S @ 2.50GHz | 2,980 | 1,485 | 65 | LGA1155 | Desktop |
| AMD PRO A8-8670E | 2,989 | 1,382 | 35 | AM4 | Desktop |
| Intel Core i7-4558U @ 2.80GHz | 2,999 | 1,820 | 28 | BGA1168 | Laptop |
| Intel Pentium G4560T @ 2.90GHz | 3,000 | 1,781 | 35 | FCLGA1151 | Desktop |
| AMD A10 PRO-7800B APU | 3,003 | 1,428 | 65 | FM2+ | Desktop |
| Intel Xeon X5550 @ 2.67GHz | 3,010 | 1,323 | 95 | LGA1366 | Server |
| Intel Core i5-4300M @ 2.60GHz | 3,011 | 1,788 | 37 | PGA946 | Laptop |
| AMD PRO A12-8870E | 3,014 | 1,593 | 35 | AM4 | Desktop |
| Intel Core i5-3380M @ 2.90GHz | 3,015 | 1,900 | 35 | FCPGA988, FCBGA1 | Laptop |
| AMD A8-6600K APU | 3,021 | 1,543 | 100 | FM2 | Desktop |
| Intel Core i3-7130U @ 2.70GHz | 3,021 | 1,561 | 15 | FCBGA1356 | Laptop |
| Intel Core i5-6200U @ 2.30GHz | 3,023 | 1,597 | 15 | FCBGA1356 | Laptop |
| Intel Core i7-875K @ 2.93GHz | 3,028 | 1,329 | 95 | LGA1156 | Desktop |
| Intel Core i7-870 @ 2.93GHz | 3,031 | 1,387 | 95 | LGA1156 | Desktop |
| Intel Core m3-8100Y @ 1.10GHz | 3,033 | 1,837 | 5 | FCBGA1515 | Laptop |
| Intel Core i5-4570TE @ 2.70GHz | 3,043 | 1,573 | 35 | LGA1150 | Desktop |
| Intel Core i7-5600U @ 2.60GHz | 3,050 | 1,801 | 15 | FCBGA1168 | Laptop |
| AMD Opteron 2435 | 3,061 | 593 | 75 | F (1207) | Server |
| Intel Core i5-6260U @ 1.80GHz | 3,069 | 1,623 | 15 | FCBGA1356 | Laptop |
| Intel Core i5-7Y57 @ 1.20GHz | 3,070 | 1,843 | 4.5 | FCBGA1515 | Laptop |
| Intel Core i3-4160T @ 3.10GHz | 3,073 | 1,770 | 35 | LGA1150 | Desktop |
| AMD Opteron X3418 APU | 3,074 | 1,433 | 25 | Unknown | Server |
| Intel Core i7-950 @ 3.07GHz | 3,080 | 1,394 | 130 | LGA1366 | Desktop |
| Intel Core i7-940 @ 2.93GHz | 3,089 | 1,344 | 130 | LGA1366 | Desktop |
| Intel Core i5-4200H @ 2.80GHz | 3,090 | 1,765 | 47 | BGA1364 | Desktop |
| AMD A10-6700 APU | 3,092 | 1,634 | 65 | FM2 | Desktop |
| AMD FX-4170 Quad-Core | 3,094 | 1,470 | 125 | AM3+ | Desktop |
| AMD FX-870K Quad Core | 3,094 | 1,369 | NA | Unknown | Unknown |
| AMD PRO A10-8770E | 3,094 | 1,533 | 35 | AM4 | Desktop |
| AMD A10-6790K APU | 3,095 | 1,634 | 100 | FM2 | Desktop |
| AMD A10-7800 APU | 3,095 | 1,429 | 65 | FM2+ | Desktop |
| Intel Xeon W3550 @ 3.07GHz | 3,097 | 1,397 | 130 | LGA1366 | Server |
| Intel Core i3-4330T @ 3.00GHz | 3,098 | 1,717 | 35 | LGA1150 | Desktop |
| Intel Xeon E5-2403 v2 @ 1.80GHz | 3,106 | 975 | 80 | FCLGA1356 | Server |
| AMD PRO A12-9800E | 3,110 | 1,554 | 35 | AM4 | Desktop |
| Intel Core i7-5650U @ 2.20GHz | 3,110 | 1,913 | 15 | FCBGA1168 | Laptop |
| Intel Pentium Gold G5400T @ 3.10GHz | 3,119 | 1,807 | 35 | FCLGA1151-2 | Server |
| Intel Core i5-6267U @ 2.90GHz | 3,124 | 1,726 | 28 | FCBGA1356 | Laptop |

AMD A10-6800K APU

AMD PRO A8-8650R

CPU Mark

2500

Thread Mark

Min...

TDP (W)

Min...

Socket

Category



CPU Benchmarks

| CPU Name | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|--|----------|-------------|---------|-----------------|----------|
| Intel Core i5-6198DU @ 2.30GHz | 3,136 | 1,647 | 15 | BGA1356 | Laptop |
| AMD A12-9730P | 3,140 | 1,466 | 35 | FP4 | Laptop |
| Intel Xeon X5570 @ 2.93GHz | 3,148 | 1,408 | 95 | LGA1366 | Server |
| AMD A10-9700E | 3,151 | 1,387 | 35 | AM4 | Desktop |
| Intel Core i5-2400S @ 2.50GHz | 3,151 | 1,479 | 65 | LGA1155 | Desktop |
| Intel Atom C3858 @ 2.00GHz | 3,154 | 501 | 25 | FCBGA1310 | Server |
| AMD A8-7670K | 3,155 | 1,492 | 95 | FM2+ | Desktop |
| Intel Core i3-4350 @ 3.60GHz | 3,163 | 1,692 | 54 | LGA1150 | Desktop |
| Intel Core i3-4360T @ 3.20GHz | 3,164 | 1,852 | 35 | LGA1150 | Desktop |
| Intel Core i5-L16G7 @ 1.40GHz | 3,164 | 1,643 | 7 | FC-CSP1016 | Laptop |
| Intel Core i7-2675QM @ 2.20GHz | 3,168 | 1,122 | 45 | BGA1224 | Laptop |
| Intel Xeon X3470 @ 2.93GHz | 3,169 | 1,409 | 95 | LGA1156 | Server |
| Intel Core i3-4170T @ 3.20GHz | 3,177 | 1,831 | 35 | LGA1150 | Desktop |
| Intel Pentium G4600T @ 3.00GHz | 3,177 | 1,883 | 35 | FCLGA1151 | Desktop |
| Intel Core i3-4370T @ 3.30GHz | 3,187 | 1,904 | 35 | FCLGA1150 | Desktop |
| Intel Core i7-4600M @ 2.90GHz | 3,187 | 1,865 | 37 | PGA946 | Laptop |
| Intel Core i3-6100H @ 2.70GHz | 3,191 | 1,616 | 35 | LGA 1151 | Laptop |
| Intel Core i7-8500Y @ 1.50GHz | 3,191 | 1,867 | 5 | FCBGA1515 | Laptop |
| AMD A10-7700K APU | 3,193 | 1,461 | 95 | FM2+ | Desktop |
| AMD Phenom II X6 1055T | 3,195 | 1,334 | 125 | AM3 | Desktop |
| AMD PRO A10-9700E | 3,195 | 1,453 | 35 | AM4 | Desktop |
| AMD A8-7600 APU | 3,198 | 1,427 | 65 | FM2+ | Desktop |
| Intel Core i7-880 @ 3.07GHz | 3,205 | 1,493 | 95 | LGA1156 | Desktop |
| Intel Xeon L5630 @ 2.13GHz | 3,206 | 1,021 | 40 | LGA1366 | Server |
| Intel Pentium Silver J5005 @ 1.50GHz | 3,215 | 1,221 | 10 | FCBGA1090 | Desktop |
| Intel Core i5-4310M @ 2.70GHz | 3,217 | 1,847 | 37 | Unknown | Laptop |
| Intel Core i7-960 @ 3.20GHz | 3,219 | 1,455 | 130 | LGA1366 | Desktop |
| Intel Core i7-2715QE @ 2.10GHz | 3,221 | 1,287 | 45 | BGA1023 | Laptop |
| Intel Core i7-2635QM @ 2.00GHz | 3,232 | 1,219 | 45 | BGA1224 | Laptop |
| Intel Celeron J4125 @ 2.00GHz | 3,233 | 1,236 | 10 | FCBGA1090 | Desktop |
| Intel Pentium Gold G5500T @ 3.20GHz | 3,234 | 1,964 | 35 | FCLGA1151-2 | Desktop |
| Intel Xeon W5590 @ 3.33GHz | 3,234 | 1,571 | 130 | LGA1366 | Server |
| AMD Athlon Silver 3050U | 3,238 | 1,779 | 15 | FP5 | Laptop |
| AMD Phenom II X6 1065T | 3,239 | 1,341 | 95 | AM3 | Desktop |
| Intel Pentium D1508 @ 2.20GHz | 3,240 | 1,760 | 25 | FCBGA1667 | Server |
| Intel Core i3-4570T @ 2.90GHz | 3,244 | 1,693 | 35 | FCLGA1150 | Desktop |
| Intel Core i7-4610M @ 3.00GHz | 3,249 | 1,902 | 37 | FPGA946,FPGA947 | Laptop |
| Intel Core i5-4400E @ 2.70GHz | 3,251 | 1,804 | 37 | BGA1364 | Desktop |
| AMD Athlon X4 840 | 3,256 | 1,478 | 65 | FM2+ | Desktop |
| Intel Core i5-4330M @ 2.80GHz | 3,258 | 1,975 | 37 | Unknown | Laptop |
| Intel Core i7-4578U @ 3.00GHz | 3,258 | 2,031 | 28 | FCBGA1168 | Laptop |
| Intel Core i5-6300U @ 2.40GHz | 3,259 | 1,713 | 15 | FCBGA1356 | Laptop |
| Intel Core i5-6360U @ 2.00GHz | 3,259 | 1,728 | 15 | FCBGA1356 | Laptop |
| AMD Opteron 4365 EE | 3,263 | 933 | 40 | Socket C32 | Server |
| Intel Core i5-4570T @ 2.90GHz | 3,263 | 1,962 | 35 | LGA1150 | Desktop |
| Intel Xeon X3480 @ 3.07GHz | 3,263 | 1,495 | 95 | LGA1156 | Server |
| Intel Core i3-4130 @ 3.40GHz | 3,267 | 1,889 | 54 | LGA1150 | Desktop |

| CPU Name | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|---|----------|-------------|---------|--------|----------|
| Intel Xeon W3565 @ 3.20GHz | 2500 | Min... | Min... | | |
| Intel Core i7-965 @ 3.20GHz | | | | | |

Home CPU Benchmarks


| | | | | | |
|--|-------|-------|-----|-------------|---------|
| Intel Core i7-9500U @ 2.50GHz | 3,278 | 1,728 | 15 | FCLGA1356 | Laptop |
| AMD A10-7860K | 3,286 | 1,511 | 65 | FM2+ | Desktop |
| AMD FX-4350 Quad-Core | 3,286 | 1,611 | 125 | AM3+ | Desktop |
| AMD Opteron X3421 APU | 3,289 | 1,476 | 35 | Unknown | Server |
| Intel Core i7-6498DU @ 2.50GHz | 3,293 | 1,759 | 15 | BGA1356 | Laptop |
| Intel Pentium Gold G5420 @ 3.80GHz | 3,294 | 2,279 | 54 | FCLGA1151-2 | Desktop |
| AMD A8-9600 | 3,298 | 1,483 | 65 | AM4 | Desktop |
| Intel Xeon L5609 @ 1.87GHz | 3,298 | 1,160 | 40 | LGA1366 | Server |
| AMD Embedded R-Series RX-421BD | 3,302 | 1,477 | 35 | BGA (FP4) | Laptop |
| Intel Core i3-6100E @ 2.70GHz | 3,315 | 1,688 | 35 | LGA 1151 | Laptop |
| Intel Core i5-2500S @ 2.70GHz | 3,318 | 1,647 | 65 | LGA1155 | Desktop |
| Intel Xeon D-1520 @ 2.20GHz | 3,324 | 419 | 45 | BGA 1667 | Server |
| AMD FX-9830P | 3,325 | 1,590 | 35 | FP4 | Laptop |
| AMD FX-4150 Quad-Core | 3,327 | 1,465 | 125 | AM3+ | Desktop |
| Intel Core i7-975 @ 3.33GHz | 3,331 | 1,523 | 130 | LGA1366 | Desktop |
| AMD A12-9800E | 3,332 | 1,562 | 35 | AM4 | Desktop |
| AMD Phenom II X6 1405T | 3,335 | 1,247 | 95 | AM2+,AM3 | Desktop |
| AMD A10-8750 | 3,339 | 1,561 | 65 | FM2+ | Desktop |
| Intel Core i5-2300 @ 2.80GHz | 3,343 | 1,423 | 95 | LGA1155 | Desktop |
| AMD PRO A8-9600 | 3,347 | 1,468 | 65 | AM4 | Desktop |
| Intel Core i7-6560U @ 2.20GHz | 3,353 | 1,723 | 15 | Unknown | Laptop |
| Intel Core i3-6100TE @ 2.70GHz | 3,354 | 1,661 | 35 | LGA 1151 | Desktop |

Showing 1 to 250 of 1,358 entries (filtered from 2,987 total entries)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

Notes:

- Price is obtained from our affiliates. '*' after the price denotes the last seen price for products that are no longer available.
- CPU Value is calculated by taking CPU Mark / Price.
- Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- Power Performance is calculated by taking CPU Mark / TDP.
- Test Date is the date of our first benchmark submission.

| | | | | | |
|------------------------------------|--|---|--------------------------------|--------------------------|---|
| Software | Hardware | Benchmarks | About Us | Services | International |
| BurnInTest | USB3.0 Loopback Plugs | CPU Benchmarks | Company | Store | Disclaimer |
| PerformanceTest | USB2.0 Loopback Plugs | Video Card Benchmarks | Contact Us | Support | Refunds |
| OSForensics | PCIe Test Cards | Hard Drive Benchmarks | The Press Room | Forums | Privacy |
| MemTest86 | USB Power Delivery Tester | RAM Benchmarks | | | |
| WirelessMon | Serial and Parallel Loopback Plugs | PC Systems Benchmarks | | | Social |
| Zoom Search Engine | USB Short Circuit Testers | Android Benchmarks | | |  |
| Free Software | | iOS / iPhone Benchmarks | | | |

